


Detailed Contents of “Practical *Streptomyces* Genetics”

ISBN 0-7084-0623-8

Chapter 1 General introduction to actinomycete biology

Taxonomy of <i>Streptomyces</i>	2
The genera of actinomycetes	2
The genus <i>Streptomyces</i>	2
Ecology of <i>Streptomyces</i>	5
Streptomyces as pathogens	6
Some physiological features of primary metabolism in streptomycetes	7
Carbon sources	7
Nitrogen sources	8
Amino acid catabolism	9
Biosynthesis	9
Some physiological novelties	10
Antibiotic production by <i>Streptomyces</i>	10
Streptomycetes as antibiotic producers	10
Antibiosis in soil	10
Physiology and regulation of antibiotic production	16
Developmental biology of <i>Streptomyces</i>	17
The <i>Streptomyces</i> chromosome and its genetic elements	18
DNA base composition	18
The chromosome	18
Plasmids	20
Transposable elements	21
Phages	21
Restriction and modification of <i>Streptomyces</i> DNA	22
Genetic studies with streptomycetes and their near relatives	22
Actinomycetes used for genetical studies	22
Genetics and strain improvement for antibiotic and enzyme production	23
Safety guidelines for recombinant DNA experiments with <i>Streptomyces</i>	33



Chapter 2 Growth and preservation of *Streptomyces*

Selective isolation of streptomycetes	43
Making a <i>Streptomyces</i> spore suspension	44
Plating out a <i>Streptomyces</i> spore suspension	47
<i>Streptomyces</i> cultures on agar	47
Growth of mycelium on cellophane overlays,	

nitrocellulose filters or agar	48
Growth of <i>Streptomyces</i> mycelium in liquid	49
Growth of <i>Streptomyces</i> for physiological studies	49
Conditions for spore germination and reproducible exponential growth and antibiotic production by <i>Streptomyces coelicolor</i>	50
Germination of <i>Streptomyces</i> spores	53
Procedure 1	53
Procedure 2	54
Preparation of aerial mycelium and spores separately ..	54
Aerial mycelium	55
Spores	55
Sporulation of <i>Streptomyces</i> in submerged cultures ..	56
Preparation of protoplasts from <i>Streptomyces lividans</i> 66 and <i>S. coelicolor</i> A3(2)	56
Preservation of <i>Streptomyces</i> strains and phages	58
Preparation of lyophils	59
Alternative I	59
Alternative II	60
Growing a culture from the lyophil	60


Chapter 3 Microscopical methods

Light microscopy	63
Cellophane cultures	64
Coverslip or slide cultures	64
Impression preparations	64
Staining for light microscopy	64
DAPI Staining of <i>Streptomyces</i> mycelium ..	65
Staining for respiratory activity	66
Immunofluorescent staining of <i>Streptomyces</i> mycelium	66
Electron microscopy	70
Electron microscopy of thin sections	70
Sectioning of <i>Streptomyces</i> colonies	70
Staining thin sections of <i>Streptomyces</i> colonies for glycogen	72
Spatial visualisation of gene expression	73

Chapter 4 Specialised biochemical techniques

Preparation of cell-free extracts from <i>Streptomyces</i> ..	75
Cell-free extracts from mycelium	75
Cell-free extracts from spores	76
Small-scale cell-free extract from spores ..	76
Large-scale cell-free extract from spores ..	77
Preparation of a coupled transcription-translation system from <i>S. lividans</i>	78
Two-dimensional polyacrylamide gel electrophoresis and its application to <i>Streptomyces</i> proteins ..	83
In-vivo radioactive labelling of <i>Streptomyces</i> proteins	90
Two-step liquid cultivation and radioactive labelling method for <i>Streptomyces</i>	90
Growth and radioactive labelling of <i>Streptomyces</i> on zirconium-silica beads	92
Detection and assay of <i>S. coelicolor</i> (and <i>S. lividans</i>) antibiotics	93

The <i>S. coelicolor</i> antibiotics	93
Actinorhodin	93
Undecylprodigiosin	95
CDA	95
Methylenomycin	95
<i>S. lividans</i> as an antibiotic producer	95
Secondary metabolite production in <i>S. lividans</i> transformants	95



Chapter 5 Mutagenesis of *Streptomyces* by irradiation or chemicals

General remarks about mutagenesis	99
The optimal amount of mutagenesis	99
Expression of mutations	100
Spores or mycelium?	101
Choice of mutagen	101
Precautions	101
Mutagenesis of <i>Streptomyces</i> spores by ultraviolet light (UV)	102
Mutagenesis of <i>Streptomyces</i> spores by N-methyl-N'- nitro-N-nitrosoguanidine (NTG)	103
Isolation of specific classes of mutant	104
Resistant mutants	104
Mutants that have to be isolated by screening ..	104
Auxotrophs	104
Other classes of mutants screened by replica plating	106
Mutants recognised by visual examination ..	106

Chapter 6 Transposon mutagenesis in *Streptomyces*

General points about transposon mutagenesis	109
Discovery of <i>Streptomyces</i> transposable elements	110
<i>Streptomyces</i> transposons suitable for mutagenesis of <i>Streptomyces</i>	110
Use of heterologous transposons for mutagenising <i>Streptomyces</i> genes	110
Transposon delivery vectors for <i>Streptomyces</i> ..	110
Isolation of independent mutant strains	111
Cloning transposon-tagged <i>Streptomyces</i> DNA in <i>E. coli</i>	111
Tn4556 from <i>S. fradiae</i>	111
A. Transposition of Tn4560 from pUC1169 to a chromosomal location	112
B. Protocol for inserting Tn4560 into <i>S. coelicolor</i> NF strains	113
C. Tn4560 mutagenesis of SCP2* plasmids in <i>S. lividans</i>	114
D. Tn4560 mutagenesis of pock-forming SCP2* in <i>S. coelicolor</i>	115

IS493 from <i>S. lividans</i> 66	117
E. Sectoring method for delivering IS493 derivatives using temperature-sensitive plasmids	117
IS6100 from <i>Mycobacterium fortuitum</i>	119
F. Transposon mutagenesis of <i>S. lividans</i> using pSIT151	119
Tn5493 derived from Tn5	121
G. Mutagenising <i>S. lividans</i> using pJOE2577 ..	121
H. Alternative method for isolating <i>S. lividans</i> with random insertions of Tn5493	122


Chapter 7 *In vivo* genetic analysis by conjugation and protoplast fusion

The modes of gene exchange in <i>Streptomyces</i>	125
Mating	125
Protoplast fusion	128
Transduction	128
Chromosomal recombination by transformation	128
Electroporation	130
The practicalities of making crosses	130
Quantitative analysis of crosses	136
Recombination frequency	136
Frequency of plasmid transfer	137
Linkage mapping	137
Establishing a genetic map by the "four-on-four" procedure	141
The "classical" way of analysing the results of a "four-on-four" cross	144
Analysing the results of a "four-on-four" cross by minimizing multiple crossovers	147
Mapping a new marker by a single selection	147
Plate-crosses	152
Detection of conjugative plasmids by "pock" formation by transconjugants	153
Protoplast fusion	156
Fusion of protoplasts of <i>S. coelicolor</i> or <i>S. lividans</i>	157
Genetic analysis by protoplast fusion	158

Chapter 8 Preparation and analysis of genomic and plasmid DNA

Isolation of genomic DNA	162
Discussion of individual steps	162
A. Kirby mix procedure for the isolation of genomic DNA	168
B. Salting out procedure for the isolation of genomic DNA	169
C. CTAB procedure for the isolation of genomic DNA	170
Isolation of CCC plasmid DNA	171
Discussion of individual steps	172
A. Plasmid isolation by neutral lysis	177
B. Standard CsCl-ethidium bromide gradient centrifugation	178
C. CsCl density gradient for removing polysaccharides from DNA	182
D. Plasmid isolation by alkaline lysis and potassium acetate precipitation	184
E. Plasmid isolation by alkaline lysis and phenol	

precipitation	187
F. Plasmid purification using QIAGEN anion exchange column chromatography	189
G. Plasmid isolation by the boiling method	190
H. Alkaline denaturation of partially purified DNA samples	191
I. Purification of samples using ethidium bromide	192
J. Acid phenol (pH4) extraction	193
K. "Jurassic preps" plasmid purification using guanidine thiocyanate	194
Standard agarose gel electrophoresis	195
Pulsed-field gel electrophoresis	198
General considerations	198
Standard procedure for preparing <i>Streptomyces</i> chromosomal DNA for PFGE	199
Phenol wash procedure for preparation of actinomycete DNA for PFGE	201
Digestion of DNA with restriction endonucleases in agarose blocks for PFGE	202
Loading gels	203
Running conditions for PFGE	204
Removal of small DNA fragments	205
Solutions	205
Ammonium acetate	205
EDTA pH8	206
Lithium chloride	206
Sodium chloride	206
Sodium hydroxide	207
Potassium acetate and sodium acetate, 3M	207
Tris-HCl buffer	208



Chapter 9 General considerations about gene cloning in *Streptomyces*

Features of <i>Streptomyces</i> genes	212
Restriction-modification and other host factors	213
Preparation of vector and target DNA	214
How many clones are required for making a representative gene library?	214
Choice and use of restriction endonucleases for making gene libraries	214
Choice of cloning vector	215
Vector host-range	215
Size of the target DNA	216
Integrating vectors	216
Low copy number plasmid vectors	217
High copy number plasmid vectors	217
Plasmid versus phage vectors	217
Positive selection vectors	218


<i>E. coli</i> vectors containing <i>Streptomyces</i> selection markers	218
Using bifunctional vectors that replicate in <i>E. coli</i> and <i>Streptomyces</i>	219
Selective markers	219
Antibiotic resistance	219
Counterselectable markers	220
Ligation conditions	220
Transformation	221
Finding the desired clone	221
Sib-Selection	222
Antibiotic biosynthetic genes	224
Confirmation of clones	224
Does the phenotype depend on the cloned DNA?	224
Is the cloned DNA rearranged?	225
Is the promoter for a cloned gene present on the cloned DNA?	225
What if the desired gene cannot be cloned?	226
Assessing the quality of <i>Streptomyces</i> gene libraries	226
Storing gene libraries	226

Chapter 10 Introduction of DNA into *Streptomyces*

Methods available	230
Restriction barriers	230
Use of single-stranded DNA	230
Transformation and transfection in <i>Streptomyces</i>	231
Polyethylene glycol (PEG)	231
Transformation and transfection frequencies	232
PEG-assisted transformation of <i>Streptomyces</i>	
protoplasts with plasmid DNA	232
Standard procedure	232
Rapid small-scale procedure	234
Use of denatured DNA for protoplast transformation	235
Spot-transformation	236
Cosmid transformation	236
Electroporation of mycelium	237
Recognition, selection and screening of <i>Streptomyces</i> transformants	239
Lethal zygosis reaction (pocks)	239
Fertility	239
Resistance markers	239
Selection of antibiotic-resistant transformants by overlaying or flooding	240
Soft agar overlays	240
Flooding	240
Detection of melanin-producing colonies	240
Screening for plasmid DNA	242
Colony hybridisation	242
Using nitrocellulose filters	242
Using Whatman 541 paper	243
Preparation of colony replicas	244
Hybridisation	245
5' end labelling of oligonucleotide probes	246
Using Whatman 540 paper	247
Use of the Polymerase Chain Reaction (PCR) to identify transformants	248
Conjugation from <i>E. coli</i>	249

Chapter 11 Plasmids and their use for gene cloning

General properties of <i>Streptomyces</i> plasmids and their use for gene cloning	253
Wild-type plasmids that have been used extensively to construct cloning vectors	256
pIJ101	256
pJV1	258
pSG5	259
SCP2*	260
Higher copy number derivatives of SCP2*	263
SCP2* vectors as delivery systems for gene disruptions	264
SLP1 and pSAM2	265
Other integrating vectors	265
List of special purpose vectors	267
Bifunctional <i>E. coli-Streptomyces</i> plasmids	267
oriT (RK2) vectors for conjugation between <i>E. coli</i> and <i>Streptomyces</i>	267
λ cosmid vectors	267
Expression vectors	268
Vectors with promoterless reporter genes	268
Positive selection vectors	268
Integrating vectors	268
Unstable and temperature-sensitive plasmids useful for gene replacement and transposon delivery	268
Vectors without the <i>tsr</i> gene	268
Vectors with resistance markers other than the common ones	268
Vectors with blue/white selection (<i>lacZa</i>) in <i>E. coli</i>	269



Chapter 12 Streptomyces phages

The relevance of phages to <i>Streptomyces</i> genetics	271
Occurrence, isolation and storage of <i>Streptomyces</i> phages	272
Lytic and temperate phages	272
Phages from soil	272
Phages from lysogens	272
Phages as industrial contaminants	273
<i>Streptomyces</i> phage genetics	273

In vivo physiological and genetic studies	273
Deletion mutants and DNA packaging limitation	273
Phage DNA	273
Uses of wild-type phages in the study of their hosts	274
Transduction	274
Localised mutagenesis using generalised transduction	274
Restriction-modification systems	275
Storage of <i>Streptomyces</i> phages	276
Plaque assay of <i>Streptomyces</i> phages	277
Single-plaque isolation of <i>Streptomyces</i> phages	278
Preparation of high-titre <i>Streptomyces</i> phage stocks	278
Isolation of new <i>Streptomyces</i> phages	279
Isolation procedure I (direct method)	280
Isolation procedure II (specific enrichment)	281
Selection of potential transducing phages by pyrophosphate resistance	281
Generalised transduction of <i>S. venezuelae</i> using SV1 phage	282
Large-scale preparation of <i>Streptomyces</i> phage DNA	282
Small-scale preparation of <i>Streptomyces</i> phage DNA	285

Chapter 13 Cloning with phage vectors

General features of Φ C31 and its vector derivatives	290
Shotgun cloning with Φ C31 vectors	290
Choice of Φ C31 vectors for mutational cloning	291
Choice of Φ C31 vectors for screening by complementation of mutants	291
or acquisition of new capabilities	292
Ligation conditions	294
Maximising and estimating insert frequency	294
Construction and stability of lysogens	294
Homogenisation	295
Application of Φ C31 to gene fusions	296
General features of the Φ C31::xylE vectors	296
KC862: a <i>xylE</i> -containing Φ C31 derivative that gives yellow plaques only when carrying inserts with active promoters	296
A single copy number promoter-probe vector, KC859	298
Vectors for in situ fusions of <i>xylE</i> to chromosomally located transcription units	298
Other phage-based cloning systems	299
Prophage transformation with phage SAT-1 of <i>S. azureus</i>	299
Phage-mediated transduction of plasmids	299
Vectors based on other <i>Streptomyces</i> phages	300
Use of integration functions of <i>Streptomyces</i> phages	300
Transfection	301
Transfer of <i>Streptomyces</i> phage DNA onto nitrocellulose filters for "plaque hybridisation"	303
Preparation of Φ C31 lysogens	303
Procedure A	304
Procedure B	305
"Low-tech" method for detecting Φ C31 derivatives containing resistance genes	306
Use of <i>glkA</i> counterselection to select deletions from, or loss of, Φ C31 prophages	307

Chapter 14 Gene disruption and gene replacement

Creating null mutants	311
Method (a). Insertional inactivation via a single crossover	312
Method (b). Insertional inactivation via double crossing over	313
Method (c). Insertional inactivation using an in-frame deletion	314
Other factors affecting the choice of approach	316
Polar effects	316
The size of intervals used	316
Mutation stability	316
Method of delivery	316
Non-replicating <i>E. coli</i> plasmids	317
Temperature-sensitive replicons	318
Phage vectors	318
Unstable replicons	319
Dealing with essential genes	319
Introduction of point mutations and other subtle changes	320
Counterselection of the delivery vector	320
"Heterologous" disruptions and replacements	323
Choice of resistance markers	323
Selecting for single crossover intermediates during gene replacement	324
A practical example of gene disruption	324
Homogenisation	328
Problems arising from unintended homogenisation events	329
Cloning mutant alleles by homogenisation	330
Gene replacements involving whole gene clusters	332
Mutational analysis of transcription units	334




Fig. 14.5 Disruption of a gene by double crossing over, with counterselective delivery vector using 2-deoxyglucose (Dog).

Chapter 15 Reporter systems

Introduction	339
The problems with <i>lacZ</i>	340
Choice of vector: plasmid, phage and transposon systems	341
Antibiotic resistance genes as reporters: <i>neo</i> and <i>cat</i>	342
The tyrosinase-encoding operon of <i>S. glaucescens</i> as a reporter system	342
The <i>whiE</i> (spore pigment) major operon as a reporter system	343
The catechol 2,3-dioxygenase determinant, <i>xylE</i> , a readily quantified reporter gene for <i>Streptomyces</i>	343

Detection of <i>xylE</i> expression in situ in colonies	344
Detection of <i>xylE</i> expression in Φ C31 plaques	344
Assay of catechol 2,3-dioxygenase in cell-free extracts	345
Use of the <i>Vibrio harveyi luxAB</i> genes as a reporter system	346
Reporter systems based on EGFP	347
A reporter gene encoding a thermostable malate dehydrogenase	348
Assay of thermostable malate dehydrogenase in cell-free extracts	348
The <i>ampC</i> (β -lactamase) gene as a reporter	349
The <i>lac</i> (secreted β -galactosidase) gene of <i>S. lividans</i> as a reporter for transcription and secretion	349
The <i>redD</i> gene of <i>S. coelicolor</i> as an easily scorable reporter of transcription in <i>S. coelicolor</i> and <i>S. lividans</i>	350

Chapter 16 RNA methods

General precautions when working with RNA	354
Harvesting <i>Streptomyces</i> cultures for RNA isolation	354
Isolation of RNA	354
Isolation of RNA using modified Kirby mix, phenol/chloroform extraction and DNase I treatment	355
Isolation of RNA using CsCl gradients	357
Isolation of RNA using SDS and hot phenol	359
Storage of RNA	360
Assessing the quantity and quality of RNA preparations	360
Spectrophotometry	360
Agarose gel electrophoresis	361
High resolution S1 nuclease mapping	363
General strategies for making probes for high resolution S1 nuclease mapping	363
Notes of caution in probe construction	366
Specific activity of the probe	366
How much probe to add to each hybridisation reaction	367
High resolution S1 nuclease mapping of the 3' ends of transcripts	367
Hybridisation solution	368
The practicalities of high resolution S1 nuclease mapping	369
Controls	370
Generating sequencing ladders for high resolution S1 nuclease mapping	371
Interpretation of results	371
Low resolution S1 nuclease mapping	372
Primer extension mapping	373
Northern blotting	374
In vitro transcription	374
<i>Streptomyces</i> RNA polymerase purification	377
Standard purification of <i>Streptomyces</i> RNA polymerase	377
Purification of histidine-tagged RNA polymerase	382

Preparation of DNA-cellulose 383

Chapter 17 Production and secretion of proteins by *Streptomyces*

Transcription initiation 385
Translation initiation 386
Signal peptides 387
Codon usage 387
Regulated expression systems 388
Culture conditions 388
Levels of expression 388
A selection of plasmids suitable for intracellular expression 389
Plasmids suitable for secretion 390
Optimising expression of *Streptomyces* genes in *E. coli* 391
Changing the codon usage at the 5' end of a coding region 391
E. coli vectors that have been used to over-express streptomycete genes 391

Chapter 18 Analysing *Streptomyces* DNA

DNA sequencing 393
Alternative and additional Maxam and Gilbert base-specific reactions for sequencing end-labelled DNA 394
Sequence analysis 395
Identifying protein coding regions 395
FRAME analysis 395
Codon preference 397
Hidden Markov model 398
Codon usage tables 398
Accessing *Streptomyces* (actinomycete) sequences in the databases 398
Design of oligonucleotides for use as probes and PCR primers 402
PCR conditions 402


Chapter 19 Media, buffers and suppliers

Agar Media 406
Minimal medium (MM) 406
Complete medium (CM) 407
Hickey-Tresner agar (HT agar) 407
R2 Medium 408
R2YE Medium 408
R5 Medium 409
Mannitol soya flour medium (MS) 409
Supplemented minimal medium, solid (SMMS) 410
MMT 410
Difco nutrient agar (DNA) 411
Oxoid nutrient agar (ONA) 411
Soft nutrient agar (SNA) 411
L agar 411
Liquid media 412
Yeast extract-malt extract medium (YEME) 412
Tryptone soya broth (TSB) 412
Difco nutrient broth (DNB) 412
L broth (LB) 412
Supplemented liquid minimal medium (SMM) 413
Minimal liquid medium (NMMP) 413

Labelling medium for *Streptomyces* 414
2 X YT medium 414
Growth factor supplements 415
Buffers 415
P (protoplast) Buffer 415
T (transformation) buffer 416
L (lysis) buffer 416
TE Buffer 417
SM Buffer 417
120 x SSC 417
Addresses of suppliers 418

Chapter 20 Genome maps and genetically marked strains

S. coelicolor A3(2) 423
Genetic/physical map 423
Genetically marked strains 423
Genome sequencing project 424
S. lividans 66 425
Genetic/physical map 425
Genetically marked strains 425
Genetic differences between *S. coelicolor* A3(2) and *S. lividans* 66 426
S. griseus 430
S. ambofaciens 433




S. rimosus 433
Plasmids SCP1 and SLP2 433


Chapter 21 Maps of DNA fragments

Conventions used for the restriction maps 440
List of restriction endonucleases, recognition sites and isoschizomers (Table) 441
Lists of genes 442
Alphabetical list of resistance and indicator genes, and other DNA fragments (Table) 442
List of genes grouped according to function 446
Resistance genes 446
Counterselectable markers 449
Indicator genes 449
Other DNA fragments 449
Resistance genes grouped according to antibiotic class 450
Aminoglycosides 450
Bialaphos, phosphinothricin 450
Bleomycin, phleomycin 450
Chloramphenicol 450

Gyrase inhibitors, novobiocin, ciprofloxacin	450
Hygromycin	450
Macrotetrolides, nonactin, tetranactin	450
MLS (macrolide, lincosamide and streptogramin B) resistance	451
Puromycin	451
Spectinomycin, streptomycin	451
Streptothricins	451
Tetracyclines	451
Thiostrepton and analogues	451
Viomycin, capreomycin B	451
Other resistances	451
Antibiotics, antimetabolites, and suppliers (Table)	452
Maps of DNA fragments	456
Resistance genes	456
Counterselectable markers	493
Indicator genes	495
Other DNA fragments	502



Integrating plasmids derived from ΦC31 and phage VWB (Table)	514
Plasmid maps grouped according to the Streptomyces replicon (Table)	514
E. coli plasmids (Table)	517
Transposable elements (Table)	518
Restriction maps	519
Phage ΦC31 and its derivatives	519
Integrating plasmids derived from ΦC31 and phage VWB	530
Plasmid maps grouped according to the Streptomyces replicon	533
pIJ101 derivatives	533
pRES1 derivatives	545
pJV1 derivatives	546
pSG5 derivatives	548
SCP2* derivatives	553
pSAM2 and SLP1 derivatives	563
E. coli plasmids	564
Transposable elements	573
IS117 derivatives	573
IS493 derivatives	575
Tn4556 derivatives	578



Chapter 22 Maps of plasmids, transposons and phage genomes

Conventions used for the restriction maps	512
Lists of all restriction maps	512
Phage ΦC31 and its derivatives (Table)	513

Tn5 derivative	581
----------------	-----

Index with 3000 entries	585-613
-------------------------	---------

602	Plasmids with prefix p	to	Puromycin	Index
pSCP103 (SCP2* derivative) maps	258, 260-262	Pocks, formed by conjugative plasmids	531, 533, 536, 543, 561	see also Reporter systems
pSET151	222, 265, 267, 268, 269, 317, 324, 570 (map)	21, 153-155, 154 (pictures), 255, see also spd		
pSET152	267, 268, 269, 324, 327, 350, 389, 390, 530 (map), 558	lack of by pSG5 259		Promoters, of Streptomyces 7-8, 212-213, 225, 385-386, see also chf63; ermEpl/ermE* p; gyl; mcrAB; melC; snpAp; pSN22; tipAp
pSG5, from S. glaucoensis	220, 257 (map)	to recognise transformants 115, 239		regulated promoters 388, 389-390 (list)
copy number	259	visualisation of 47, 48, 153, 155		shut down, by ΦC31 infection 296
for gene disruption	220, 260, 318			whiE/whiG 341
for transposon delivery	110, 117-118, 121, 224, 260	Poly-L-lysine, in DAPI staining 65		Pronase E, in PFGE 199
host-range	255, 259			Prophages
lack of pocks	259	Polyclonal antibodies		induction of 272, 299
no insertions of Tn4560	114	cross-reaction to Streptomyces proteins 73		loss of 295
replication	259	in immunomagnetic capture 44		using gfkA 307-308
vectors	515-516, 519	Polyethylene glycol (PEG) 419 (supplier)		plasmids as prophages 22
pSII151	119-121, 466, 516	as dispersant in liquid media 51		Propidium iodide
pSKO2	543 (map)	for DNA precipitation 166, 173		as counterstain for nucleoids 66, 67, 69
pSKO3	267, 268	in protoplast fusion 156-157		
pSLA2	20	in protoplast transfection 301-302		
pSLP124	342	in protoplast transformation 231-236		
pSN22, from S. nigrifaciens	255			
		Polyketide synthase, immunogold staining of 73		

